PEER REVIEW EVALUATION TOOL

RELATED APPLICATION

This application claims the benefit of U.S. Provisional Application Serial No. 60/270,148, filed February 21, 2001, entitled *Peer Review Evaluation Tool*.

5

10

TECHNICAL FIELD OF THE INVENTION

This invention relates to a method for reviewing a development project to evaluate for potential defects, and more particularly to an integrated electronic method to evaluate for potential defects in computer software.

15

20

25

30

2

BACKGROUND OF THE INVENTION

It has long been recognized that to develop and manufacture a substantially defect-free product, periodic evaluations are required during a development project to evaluate for potential defects. By periodic review for potential defects during the development of a product there is an improved possibility that fewer defects will be found in the final product ready for marketing. more sophisticated the product and the amount of time required to develop a product emphasizes the need for peer review evaluation throughout the period of product Although peer review applies development. in development of a product of any sophistication, peer review evaluation is particularly advantageous in the development of a software product, computer hardware, and computer systems.

Heretofore, peer review evaluation was made by manually completing reports, reviewing each of the reports for potential defects, and then following up to ensure that identified defects were corrected during the period of product development. The paper report peer review evaluation is a time-consuming, costly, and is not known for high reliability.

In addition to the other shortcomings of previous manual peer review evaluations there was also a problem of follow up to ensure that the identified defects were corrected before a product reached the marketplace. reports were difficult to understand the manual identified addition, defect. In because of the difficulty of collectively evaluating individual review committee reports many potential defects

M

5

10

15

20

25

3

identified when in fact the potential defect was not an actual defect in the product. This further added to the time consumption and cost of peer review evaluation.

Heretofore, the peer review evaluation of a product under development was strictly a paper driven process. Peer review committee members would prepare a written report of what each perceived were potential defects. peer review meeting was convened and the moderator of the review committee would go through the individual reports on a page by page basis and inquire if any one of the committee members had a potential defect on a particular page of a report that at that time was under review. defects noted by the committee members that were accepted by the entire committee were manually annotated on the worksheet of each committee member, and when the review meeting was concluded, all the individual worksheets were by the committee "author" for the corrective action. The author would go through each worksheet to find all the accepted defects, and correct the report under review. Tracking accepted defects was difficult primarily because the defects only existed on the worksheets of the individual committee members. moderator during the review meeting would have reference each defect worksheet of the various committee members while verifying that the corrections had been made for accepted defects. Because of the difficulty, metrics collection was not a part of the paper driven process.

Thus, there is a need for an integrated electronic method for progressive review of a development project to

evaluate for potential defects in a product under development prior to marketing the product.

15

20

25

30

5

SUMMARY OF THE INVENTION

In accordance with the present invention, there is provided an integrated electronic process for progressive review of a development project to evaluate for potential defects in a product prior to marketing thereof. peer review evaluation process of the present invention integrated with an action request database solution to problems identified in previous methods of peer review. The integrated electronic peer review evaluation process is browser based software, allowing access by means of area networks to anyone having a personal computer coupled to the network. enables easy access to the review process for members of the review committee and also enables those charged with the responsibility of correcting defects to have ready access to defect reports generated by the committee during the review process.

Individual members of the group review committee enter potential defect data through the keyboard of their personal computer and this data is stored in an action request database and printed out in page order. When a meeting of the review committee members is convened, the committee moderator prints out the list of potential defects entered by each of the committee members, which list of potential defects are arranged in page number order. The moderator therefore has available all the potential defects identified by members of the committee. The recorder of the review committee creates an online record of the disposition of each of the identified potential defects, that is, a potential defect is either accepted or rejected. In addition, during the review

10

15

20

25

30

6

meeting new defects may be recorded by the recorder. At the conclusion of the review meeting the accepted defects are exported to the action request database as accepted defect data. Action to correct the accepted defects is tracked using the action request database.

The method of the present invention enables creating and reporting of many metrics including but not limited to total time spent inspecting for potential defects, total meeting time (person-hours), the number of major, minor and redline defects, and the average number of hours spent to identify each of the accepted defects. The action request database also allows reporting many defect metrics. Among the metrics is a particularly of how many peer reviews useful one uncorrected defects open along with identification of a specific peer review.

accordance with the present invention, In integrated electronic process for reviewing a development project to evaluate for potential defects in a product prior to marketing thereof comprises creation of evaluation review header in a computer database identifying a peer review moderator, author, and task In addition, planning identifies the peer review team members and also identifies the roles of the author Further in accordance with the and the moderator. present invention, the method enables the identification of potential defects within the roles of the author, moderator and the review team members and records the potential defects. A review of the potential defects is made by the author, moderator and review team members to evaluate identified potential defects for acceptance or

10

15

20

rejection. The accepted potential defects are removed from the record of potential defects and entered into an action request database as accepted defects. As a follow-up there is confirmation that accepted potential defects have been acted upon and therefore removed from the record of potential defects.

A technical advantage of the present invention is the ability to export defect data generated during the peer review into an action request database. Additional technical advantages include browser-based peer review software and the ability for computer based data entry of potential defects. In addition, a technical feature of the present invention is the ability to enter projectspecific data which is useful to compare project by project peer review metrics. Further, the method of the present invention provides entry of severity of defects, as well as types of defects, and in addition provides for recording of metrics associated with peer reviews such as total time spent for a given peer review, average time for peer reviews per project, average number of major, minor and redline defects, and average hours spent finding each type of defect. As a follow-up, a further technical advantage is the ability to track peer reviews to identify uncorrected accepted defects and also the peer reviews having all defects corrected.

15

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention and the advantages thereof, reference may be made to the accompanying drawings, wherein:

FIGURE 1 is an illustration of a typical network computer hardware system for carrying out the method of the present invention;

FIGURE 2 is a flowchart of a formal peer review of the integrated electronic method for reviewing a development project in accordance with the present invention;

FIGURE 3 is a program flow diagram for the integrated electronic method for reviewing a development project to identify and accept defects in a development project;

FIGURE 4 illustrates a typical report screen for inputting information into an action request database for carrying out a review for potential defects;

FIGURES 5 through 9 are examples of report types
20 generated in completing an integrated electronic method
to evaluate potential defects; and

FIGURE 10 is a flow chart of an action request database integrated with the evaluation method as illustrated in FIGURES 2 and 3.

10

15

20

9

DETAILED DESCRIPTION OF THE DRAWINGS

Referring to FIGURE 1, there is illustrated hardware of a typical network for carrying out the method of the present invention for peer evaluation of a product under development. Although the method of the present invention will be described with reference to development of a software product the invention also finds utility in evaluation of the development of computer systems, and computer hardware and other products not specifically related to computers and software.

FIGURE 1, As illustrated in the system for performing the method of the present invention includes a server with unlimited number of clients. A local area network of computers 14 with accompanying monitors 16 all run software for peer review evaluation of a product under development. A server 18 hosts the web server and Although system configuration database. the illustrated with six personal computers 14 each operated by a member of the peer review committee, additional personal computers may be part of this system also for use by members of the peer review committee. However, there is a practical limit to the number of members of the review committee beyond which the effectiveness of the peer review is diminished.

25 Computer programs for performing the peer review evalution method of the present invention will be resident only on the server 18. Each of the client PCs must have a web browser installed such as Microsoft's Internet Explorer. The personal computers are interconnected by way of a local area network for the

15

20

25

30

10

transfer of data and reports between various members of the peer review committee.

Referring to FIGURE 2, there is illustrated a flow diagram of the method for performing a peer review evaluation of a product under development, such as, but not limited to, a software product. The purpose of the peer review is to identify defects in computer programs during the development stage rather than at the end of the development of the program. By systematically evaluating for defects of a computer program during development there is less likelihood of a requirement to make massive revision of the finished program at the end of the development phase. Initially, the method for peer review evaluation of а product starts entry/evaluation task 24. During the task 24 a product review evaluation header is created utilizing a capture screen such as generated by Microsoft® Internet Explorer and illustrated in FIGURE 4. In creating the peer review evaluation header from the capture screen of FIGURE 4 the author of any reports to be generated by the committee and a task leader are identified. The task leader coordinates the effort of the committee members and the responsibility of the author is to prepare the necessary reports for storing in an action request database to be In addition, the entry/evaluation task 24 described. ensures inspection readiness of the product and also selects a moderator.

Upon completion of the entry/evaluation task 24, the method of peer review evaluation advances to a planning task 26. During the planning task 26, team members of the review committee are identified and these members are

10

15

20

25

30

11

distributed artifacts for use during the review of a product under development. In addition, the roles of the identified and with author and moderator are additional information the product review evaluation header created in the entry/evaluation task completed in the planning task 26. Following completion of the planning task 26 the peer review evaluation advances to an overview meeting task 28. During the overview meeting task 28 the author, moderator and inspectors identified in previous tasks conduct overview of the artifacts distributed in the planning Also during the overview meeting task 28 the various members of the product evaluation committee begin the creation of a log to record the amount of time utilized in performing functions of the committee. the method for product review evaluation advances to a preparation task 30 for identification of defects in the distributed artifacts. The preparation task 30 is the primary action item for each of the committee members. The committee members operating their own personal computer 14 each create a report identified potential defects in evaluation the This evaluation is conducted by each of the members of the committee including the author and moderator.

Utilizing the capture screen of FIGURE 4 each of the committee members records potential defects and this data is transmitted to an action request database and the result is an action review report such as illustrated in FIGURE 5. As illustrated in FIGURE 5, each member of the review committee utilizing the capture screen of FIGURE 4

10

15

30

12

identifies potential defects recording the location of the potential defect and ranking the potential defect as major or minor. At this time, the defects recorded by members of the committee are all categorized as "potential" defects each to be reviewed by the full committee.

When the product in evaluation is a software product, each member of the committee selects the defect type that best matches the defect condition. When there is a possibility of using more than one defect type for a particular defect, the defect type is chosen based on the following order.

- Omission - indicates a required item should have been included but was not.

Examples:

The software requirements specification left out a customer requirement.

The design did not include the functional capability to satisfy a requirement.

- Inclusion - indicates an item was included but should not have been. (Note that sometimes programs are designed or use software with functionality not specifically required. For example, the software may include added functionality for reuse or to assist in testing of the software product. These may not be considered defects.)

Examples:

The software requirements specification includes requirements that are not based on the customer's need.

The source code contains more functional capability than is necessary to satisfy the documented requirements.

- Compliance - indicates an artifact (e.g., pseudocode) does not meet the standards established by the program. Generally, this defect occurs when the documentation standards or process conventions are not followed.

Examples:

5

15

20

A preamble format differs from the guideline described in the program's software standards and procedures manual.

A test case description uses a non-standard method for documenting expected outputs from the test.

- Testability - indicates a functional capability either cannot be tested or violates specific testing guidelines established by the program.

Examples:

To adequately test a requirement, an impossible physical task is implied.

As written, a function may require a high cost testing approach that is contrary to the program's preferred method.

- Logic - Indicates a algorithm produces or will produce an incorrect result.

Examples:

During design, the pseudocode specifies a sequence of steps that will result in the incorrect answer.

During coding, syntax errors are discovered that affect the function's performance.

A sequence of functional calls are ordered improperly.

30 An assumption about data was invalid.

The interface specification between units or software products was incorrect.

- Efficiency - indicates the correct results are produced but the approach is inefficient. This most often occurs when the consumption of memory or processing time is critical.

Example:

5

15

20

25

30

A function makes redundant calls to a library routine.

- 10 A data approach exceeds the memory budget for a program.
 - Cosmetic indicates there are minor expression problems such as spelling, grammar, and punctuation.

Example:

A comment contains a misspelling.

- Clarity - indicates an expression is ambiguous, poorly worded, or difficult to understand. This occurs where implementation is difficult to understand because of choice in comments, variable names, and/or use of "trick" structural techniques without proper explanation.

Examples:

A variable name and its actual use do not match.

A requirements statement in a software requirements specification is worded so that it makes it unnecessarily difficult to proceed to design.

In addition, each committee member selects the defect reason that best describes why the defect occurred. In combination with the defect type, the defect reason code will help determine the underlying processes that need the greatest improvement. Reason codes are defined below:

20

25

30

15

- Scope indicates the defect was caused by a customer change after the completion of a particular stage. This reason code is often associated with the omission and inclusion defect types.
- Unaware indicates the defect was caused because the author (e.g., software design engineer) was not aware of pertinent and available information or made an assumption that was not correct. This may mean that additional or improved training is necessary.
- Mistake indicates the defect was caused by an author's mistake. This reason should be used only when the process has been defined and is well-understood by the author.
- Misapplied Process indicates a process step was
 15 executed incorrectly. This may point to weakness in
 training or in scheduling (e.g., not enough time to do
 all tasks).
 - Incorrect Process indicates the defect was caused or allowed because of a process step that was incorrect. For example, the process steps may be out of order or there may be a missing step.
 - Unclear Process indicates the defect was caused by process information that was not defined clearly. This reason implies the process is complete but one or more of the steps is ambiguous.
 - No Process indicates a defect was caused by ad hoc procedures for a situation not covered by any documented process. If this reason occurs too frequently or if the impact of the defects is significant, there may be sufficient justification to create and follow a standard process.

15

25

16

- Reuse - indicates the defect was inherent in an item that was assumed to be defect-free but was not. Undetected errors in common functions or standard templates often are the cause when this reason is used.

The committee member also selects the defect category that best matches the defect condition. When there is a possibility of using more than one defect category for a particular defect, the category is chosen based on the following order:

- Not properly handling previous data (initialize, or save for restore) This means that some type of variable did not get properly initialized, or a value did not get saved off for future use.
 - Legacy or debug code caused the error This refers to code that has been there "forever", and due to changes in the code around it, or changes in data values, an error occurs. Also refers to debug code that should have been removed.
- Wrong data value or data field used Refers to

 20 incorrect data value (usually a # define or a hard-coded value), or use of an incorrect data field (usually a field within a structure).
 - Timing issues Timing issues cannot be found just by looking at the code, they usually show up during integration.
 - Conversion or calculation error Self-explanatory.
- Functions enabled/disabled (active/gray) incorrectly Refers to the condition when a certain 30 capability should be available to the user, and it is not. More common with GUIs.

30

17

- Some action was or was not taken when an event occurs This refers to functionality that is missing, or to functionality that executes, but at the wrong time.
- Incorrect data file or table error As it implies. An error exists in a file or table, not in the actual code itself.
 - Interface errors (int, ext) Internal interface refers to passing data between routines or programs internally. External interface refers to errors in interfaces between processors or devices.
 - Inadequate range/error checking As it implies. Additional range or error checking would have avoided the error.
- Configuration control error The wrong version of a module was delivered, software not compiled or linked correctly.
 - Error introduced while fixing another error Self-explanatory.
- Performance (speed) deficiency This is not a coding error per se, maybe more of a design error. Can be subjective if requirements did not specify time constraint.
- Pointer/indexing error Typically refers to memory management errors (pointer not deallocated, memory leaks, etc.) or indexing errors (arrays, string lengths, etc.).
 - Data type/structure/object error Field incorrectly defined in a structure, wrong data type for data assigned, data overflow (declared int16, should have been int32), etc.

15

20

25

30

18

- Other - Any error that doesn't fall into any of the above categories.

Following the preparation task 30 the method for peer review evaluation advances to a peer review task 32 that utilizes the action request report of FIGURE 5 created by each member of the review committee including the inspectors (members), author and moderator. the peer review task 32 each of the identified potential defects is considered for each item on the potential defects report as illustrated in FIGURE 6. The peer review task 32 may be performed by each of the members of committee at individual personal computers interconnected by voice and video communication or the peer review task 32 may be performed by all the members of the committee assembled together to review potential defects report of FIGURE 6. During the peer review task 32 each of the potential defects previously identified by the committee members is evaluated and either accepted or rejected with the results recorded in an all meeting defects report as illustrated in FIGURE 7. Also during the peer review task 32 the decision is made whether or not a re-inspection of the product documents should occur. All this is recorded in the action request database resident in the personal computer of the master station 16 of FIGURE 1. In addition, during the peer review task 32 an all redline defects report is prepared by the author of the committee as illustrated in FIGURE Redline defects are one category identified by the peer review process of the present invention.

10

15

20

25

30

19

Upon completion of the peer review task 32 the method of peer evaluation advances to a rework task 34. During the rework task 34 all the accepted defects as identified in the report of FIGURE 7 are removed from artifacts. This task is performed by the author as identified in the entry/evaluation task 24. accepted defects are entered into the action request database to track the rework of the accepted defects until the rework has been completed. Upon completion of the rework task 34 the peer evaluation process advances to a follow up/evaluate exit criteria task 36. During the follow up/evaluation exit criteria task identified author and moderator prepares a summary report such as illustrated in FIGURE 9. Also during the follow up/evaluation exit criteria task 36 rework accepted tasks is monitored to ensure removal of defects.

Following the task 36 the method of the present invention advances to a release/control artifacts task 38 to make the artifact available for production. This task is performed by the author and moderator as previously identified. At this point the peer evaluation review of a product under development is completed and the product released for production and marketing.

Referring to FIGURE 3, there is shown a flowchart of the peer review evaluation tool (PRET) program run on the personal computers 14 and 18 to perform the method of the present invention for peer evaluation of a product under development. After logging in to the program at login 40 the program displays a main menu to the user on the monitor 16/20 as illustrated in FIGURE 1. The main menu

10

15

20

25

30

is displayed during a computer operation 42. The user selects one of the action items illustrated in FIGURE 3 and as explained with reference to FIGURE 2. Depending on the action item selected, the program runs one of the sequences as illustrated by routines 44, 46, 48, 50 or Under the search/edit routine 46 the program advances to an exit header subroutine 54 and then to either an edit inspector list subroutine 56 add/edit global defects subroutine 58. When running the post meeting routine 52 the program advances to generated action request subroutine 60 or a generated report subroutine 62. Thus, FIGURE 3 illustrates operation of the computer program for carrying out each of the tasks as illustrated and described with reference to FIGURE 2.

Referring to FIGURE 10, integrated with the peer review evaluation tool (PRET) program of FIGURE 3 is an action request (AR) program for storing action requests in a database. The action request process commences at initiation 64 to identify a new requirement, potential or accepted defect or some other action item not necessarily related to peer review evaluation of a Following initiation 64 the action review product. process continues with an analysis 66 that performs an analysis 67 of an action request followed by an inquiry 68 to determine if a software configuration control board The analysis 66 continues to an (S) CCB is required. inquiry 70 to evaluate if the action request effort is to be approved or disapproved. A disapproval of the action request advances the action request flow process to a deferred status 72. When software configuration of the

21

control board is not required and this has been approved, the action request process continues to a correction 74. Following correction 74 the process advances to a verification stage 76. At the conclusion of the verification phase 76 the software quality engineering verification status is closed.

Although the present invention and its advantages have been described in detail, it should be understood that various changes, substitutions, and alterations can be made without departing from the spirit and scope of the present invention as defined by the appended claims.